

## › Delta Classic™

### Wrapped classical section V-belt

Delta Classic™ V-belts have a classical V-shaped profile and are built for a reliable and durable performance on all industry standard classical section drives used in compressors, pumps, aggregates, alternators, saw, milling, and processing machines. Just to name a few.

#### IDENTIFICATION

Durable green marking indicating the belt type and yellow marking indicating the belt dimensions

#### SECTIONS AND NOMINAL DIMENSIONS



Meets requirements of  
DIN 2215 / ISO 4184 / RMA IP22 / BS 3790

|   | Width mm | Height mm |
|---|----------|-----------|
| Z | 10       | 6         |
| A | 13       | 8         |
| B | 17       | 11        |
| C | 22       | 14        |
| D | 32       | 19        |



# Delta Classic™

| Z           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| Z16DELTA    | 413              | 435             |
| Z17.5DELTA  | 438              | 460             |
| Z18.5DELTA  | 478              | 500             |
| Z19.5DELTA  | 493              | 515             |
| Z20DELTA    | 508              | 530             |
| Z20.5DELTA  | 521              | 543             |
| Z21DELTA    | 533              | 555             |
| Z22.5DELTA  | 568              | 590             |
| Z23DELTA    | 578              | 600             |
| Z24DELTA    | 608              | 630             |
| Z25DELTA    | 635              | 657             |
| Z25.5DELTA  | 648              | 670             |
| Z26.5DELTA  | 668              | 690             |
| Z27DELTA    | 688              | 710             |
| Z28DELTA    | 703              | 725             |
| Z29DELTA    | 733              | 755             |
| Z30DELTA    | 765              | 787             |
| Z30.5DELTA  | 778              | 800             |
| Z31DELTA    | 788              | 810             |
| Z32.5DELTA  | 828              | 850             |
| Z33.5DELTA  | 853              | 875             |
| Z34.5DELTA  | 878              | 900             |
| Z36DELTA    | 913              | 935             |
| Z36.5DELTA  | 928              | 950             |
| Z37.5DELTA  | 948              | 970             |
| Z38.5DELTA  | 978              | 1000            |
| Z39.5DELTA  | 998              | 1020            |
| Z41DELTA    | 1038             | 1060            |
| Z41.5DELTA  | 1050             | 1072            |
| Z43DELTA    | 1098             | 1120            |
| Z44DELTA    | 1123             | 1145            |
| Z45DELTA    | 1143             | 1165            |
| Z45.5DELTA  | 1158             | 1180            |
| Z46DELTA    | 1168             | 1190            |
| Z47DELTA    | 1193             | 1215            |
| Z48DELTA    | 1223             | 1245            |
| Z48.5DELTA  | 1228             | 1250            |
| Z49DELTA    | 1245             | 1267            |
| Z50DELTA    | 1273             | 1295            |
| Z51DELTA    | 1298             | 1320            |
| Z52DELTA    | 1318             | 1340            |
| Z53DELTA    | 1348             | 1370            |
| Z54DELTA    | 1378             | 1400            |
| Z55DELTA    | 1398             | 1420            |
| Z57DELTA    | 1448             | 1470            |
| Z58DELTA    | 1478             | 1500            |
| Z59DELTA    | 1498             | 1520            |
| Z60DELTA    | 1523             | 1545            |
| Z61DELTA    | 1553             | 1575            |
| Z62DELTA    | 1578             | 1600            |
| Z63DELTA    | 1603             | 1625            |
| Z65DELTA    | 1653             | 1675            |
| Z66DELTA    | 1678             | 1700            |
| Z67DELTA    | 1703             | 1725            |
| Z69DELTA    | 1753             | 1775            |
| Z70DELTA    | 1778             | 1800            |
| Z71DELTA    | 1803             | 1825            |

| A           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| A18DELTA    | 457              | 487             |
| A19DELTA    | 480              | 510             |
| A20DELTA    | 510              | 540             |
| A21DELTA    | 530              | 560             |
| A22DELTA    | 560              | 590             |
| A23DELTA    | 590              | 620             |
| A23.5DELTA  | 600              | 630             |
| A24DELTA    | 610              | 640             |
| A25DELTA    | 640              | 670             |
| A26DELTA    | 670              | 700             |
| A27DELTA    | 690              | 720             |
| A27.5DELTA  | 700              | 730             |
| A28.5DELTA  | 720              | 750             |
| A29.5DELTA  | 750              | 780             |
| A30DELTA    | 770              | 800             |
| A31DELTA    | 795              | 825             |
| A32DELTA    | 820              | 850             |
| A32.5DELTA  | 830              | 860             |
| A33DELTA    | 840              | 870             |
| A34DELTA    | 870              | 900             |
| A35DELTA    | 890              | 920             |
| A36DELTA    | 920              | 950             |
| A37DELTA    | 940              | 970             |
| A38DELTA    | 960              | 990             |
| A38.5DELTA  | 970              | 1000            |
| A39DELTA    | 990              | 1020            |
| A40DELTA    | 1010             | 1040            |
| A40.5DELTA  | 1030             | 1060            |
| A41DELTA    | 1040             | 1070            |
| A42DELTA    | 1070             | 1100            |
| A43DELTA    | 1090             | 1120            |
| A44DELTA    | 1120             | 1150            |
| A45DELTA    | 1150             | 1180            |
| A46DELTA    | 1170             | 1200            |
| A46.5DELTA  | 1180             | 1210            |
| A47DELTA    | 1200             | 1230            |
| A48DELTA    | 1220             | 1250            |
| A49DELTA    | 1250             | 1280            |
| A50DELTA    | 1270             | 1300            |
| A51DELTA    | 1300             | 1330            |
| A52DELTA    | 1320             | 1350            |
| A53DELTA    | 1350             | 1380            |
| A54DELTA    | 1370             | 1400            |
| A55DELTA    | 1400             | 1430            |
| A56DELTA    | 1425             | 1455            |
| A57DELTA    | 1450             | 1480            |
| A58DELTA    | 1470             | 1500            |
| A59DELTA    | 1500             | 1530            |
| A60DELTA    | 1520             | 1550            |
| A61DELTA    | 1550             | 1580            |
| A62DELTA    | 1580             | 1610            |
| A63DELTA    | 1610             | 1640            |
| A64DELTA    | 1630             | 1660            |
| A65DELTA    | 1660             | 1690            |
| A65.5DELTA  | 1670             | 1700            |
| A66DELTA    | 1680             | 1710            |
| A67DELTA    | 1710             | 1740            |
| A68DELTA    | 1730             | 1760            |
| A69DELTA    | 1760             | 1790            |
| A69.5DELTA  | 1770             | 1800            |
| A70DELTA    | 1780             | 1810            |
| A71DELTA    | 1810             | 1840            |
| A72DELTA    | 1830             | 1860            |
| A73DELTA    | 1860             | 1890            |
| A73.5DELTA  | 1870             | 1900            |
| A74DELTA    | 1890             | 1920            |
| A75DELTA    | 1910             | 1940            |
| A76DELTA    | 1930             | 1960            |
| A77DELTA    | 1960             | 1990            |
| A77.5DELTA  | 1970             | 2000            |
| A78DELTA    | 1980             | 2010            |
| A79DELTA    | 2010             | 2040            |
| A80DELTA    | 2032             | 2062            |
| A81DELTA    | 2060             | 2090            |
| A82DELTA    | 2090             | 2120            |
| A83DELTA    | 2110             | 2140            |
| A84DELTA    | 2140             | 2170            |
| A85DELTA    | 2170             | 2200            |
| A86DELTA    | 2190             | 2220            |
| A87DELTA    | 2210             | 2240            |
| A88DELTA    | 2240             | 2270            |
| A89DELTA    | 2270             | 2300            |
| A90DELTA    | 2290             | 2320            |
| A91DELTA    | 2320             | 2350            |
| A92DELTA    | 2340             | 2370            |
| A93DELTA    | 2370             | 2400            |
| A94DELTA    | 2390             | 2420            |
| A95DELTA    | 2420             | 2450            |
| A96DELTA    | 2450             | 2480            |
| A97DELTA    | 2470             | 2500            |
| A98DELTA    | 2500             | 2530            |
| A100DELTA   | 2540             | 2570            |
| A102DELTA   | 2590             | 2620            |
| A103DELTA   | 2620             | 2650            |
| A104DELTA   | 2650             | 2680            |
| A105DELTA   | 2670             | 2700            |
| A107DELTA   | 2720             | 2750            |
| A108DELTA   | 2745             | 2775            |
| A109DELTA   | 2770             | 2800            |
| A110DELTA   | 2800             | 2830            |
| A112DELTA   | 2850             | 2880            |
| A114DELTA   | 2896             | 2926            |
| A115DELTA   | 2930             | 2960            |
| A116DELTA   | 2950             | 2980            |
| A118DELTA   | 3000             | 3030            |
| A120DELTA   | 3050             | 3080            |
| A123DELTA   | 3120             | 3150            |
| A124DELTA   | 3150             | 3180            |
| A128DELTA   | 3250             | 3280            |
| A130DELTA   | 3305             | 3335            |
| A132DELTA   | 3350             | 3380            |
| A136DELTA   | 3455             | 3485            |
| A140DELTA   | 3555             | 3585            |
| A144DELTA   | 3660             | 3690            |
| A148DELTA   | 3750             | 3780            |
| A158DELTA   | 4015             | 4045            |
| A167DELTA   | 4245             | 4275            |
| A187DELTA   | 4750             | 4780            |
| A197DELTA   | 5000             | 5030            |

| B           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| B26DELTA    | 660              | 700             |
| B27DELTA    | 690              | 730             |
| B28DELTA    | 710              | 750             |
| B29DELTA    | 730              | 770             |
| B30DELTA    | 760              | 800             |
| B31DELTA    | 790              | 830             |
| B32DELTA    | 820              | 860             |
| B33DELTA    | 840              | 880             |
| B33.5DELTA  | 850              | 890             |
| B35DELTA    | 890              | 930             |
| B35.5DELTA  | 905              | 945             |
| B36DELTA    | 920              | 960             |
| B36.5DELTA  | 930              | 970             |
| B37DELTA    | 950              | 990             |
| B37.5DELTA  | 960              | 1000            |
| B38DELTA    | 970              | 1010            |
| B38.5DELTA  | 980              | 1020            |
| B39DELTA    | 990              | 1030            |
| B40DELTA    | 1020             | 1060            |
| B41DELTA    | 1040             | 1080            |
| B41.5DELTA  | 1060             | 1100            |
| B42DELTA    | 1070             | 1110            |
| B42.5DELTA  | 1080             | 1120            |
| B43DELTA    | 1090             | 1130            |
| B43.5DELTA  | 1105             | 1145            |
| B44DELTA    | 1120             | 1160            |
| B45DELTA    | 1150             | 1190            |
| B46DELTA    | 1170             | 1210            |
| B47DELTA    | 1200             | 1240            |
| B47.5DELTA  | 1210             | 1250            |
| B48DELTA    | 1220             | 1260            |
| B49DELTA    | 1250             | 1290            |
| B50DELTA    | 1280             | 1320            |
| B51DELTA    | 1300             | 1340            |
| B52DELTA    | 1330             | 1370            |
| B53DELTA    | 1350             | 1390            |
| B54DELTA    | 1370             | 1410            |
| B55DELTA    | 1400             | 1440            |
| B56DELTA    | 1420             | 1460            |
| B57DELTA    | 1450             | 1490            |
| B57.5DELTA  | 1460             | 1500            |
| B58DELTA    | 1470             | 1510            |
| B59DELTA    | 1500             | 1540            |
| B60DELTA    | 1520             | 1560            |
| B61DELTA    | 1550             | 1590            |
| B61.5DELTA  | 1560             | 1600            |
| B62DELTA    | 1580             | 1620            |
| B63DELTA    | 1600             | 1640            |
| B64DELTA    | 1630             | 1670            |
| B65DELTA    | 1660             | 1700            |
| B66DELTA    | 1680             | 1720            |
| B67DELTA    | 1700             | 1740            |
| B68DELTA    | 1730             | 1770            |
| B69DELTA    | 1760             | 1800            |
| B70DELTA    | 1780             | 1820            |
| B71DELTA    | 1810             | 1850            |
| B72DELTA    | 1830             | 1870            |
| B73DELTA    | 1860             | 1900            |
| B74DELTA    | 1880             | 1920            |
| B75DELTA    | 1910             | 1950            |
| B76DELTA    | 1930             | 1970            |
| B77DELTA    | 1960             | 2000            |
| B78DELTA    | 1980             | 2020            |
| B79DELTA    | 2010             | 2050            |
| B80DELTA    | 2030             | 2070            |
| B81DELTA    | 2060             | 2100            |
| B81.5DELTA  | 2080             | 2120            |
| B82DELTA    | 2090             | 2130            |

# Delta Classic™

| B           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| B83DELTA    | 2110             | 2150            |
| B84DELTA    | 2140             | 2180            |
| B85DELTA    | 2160             | 2200            |
| B86DELTA    | 2190             | 2230            |
| B86.5DELTA  | 2200             | 2240            |
| B87DELTA    | 2210             | 2250            |
| B88DELTA    | 2240             | 2280            |
| B89DELTA    | 2260             | 2300            |
| B90DELTA    | 2290             | 2330            |
| B91DELTA    | 2310             | 2350            |
| B92DELTA    | 2340             | 2380            |
| B93DELTA    | 2360             | 2400            |
| B94DELTA    | 2380             | 2420            |
| B95DELTA    | 2410             | 2450            |
| B96DELTA    | 2440             | 2480            |
| B97DELTA    | 2460             | 2500            |
| B98DELTA    | 2490             | 2530            |
| B99DELTA    | 2520             | 2560            |
| B100DELTA   | 2540             | 2580            |
| B101DELTA   | 2570             | 2610            |
| B102DELTA   | 2590             | 2630            |
| B103DELTA   | 2610             | 2650            |
| B104DELTA   | 2640             | 2680            |
| B105DELTA   | 2660             | 2700            |
| B106DELTA   | 2700             | 2740            |
| B108DELTA   | 2750             | 2790            |
| B108.5DELTA | 2760             | 2800            |
| B110DELTA   | 2800             | 2840            |
| B112DELTA   | 2850             | 2890            |
| B114DELTA   | 2900             | 2940            |
| B115DELTA   | 2925             | 2965            |
| B116DELTA   | 2950             | 2990            |
| B116.5DELTA | 2960             | 3000            |
| B118DELTA   | 3000             | 3040            |
| B120DELTA   | 3050             | 3090            |
| B122.5DELTA | 3110             | 3150            |
| B124DELTA   | 3150             | 3190            |
| B126DELTA   | 3200             | 3240            |
| B128DELTA   | 3250             | 3290            |
| B130DELTA   | 3310             | 3350            |
| B132DELTA   | 3360             | 3400            |
| B134DELTA   | 3410             | 3450            |
| B136DELTA   | 3460             | 3500            |
| B138DELTA   | 3510             | 3550            |
| B140DELTA   | 3560             | 3600            |
| B144DELTA   | 3660             | 3700            |
| B146DELTA   | 3710             | 3750            |
| B147DELTA   | 3740             | 3780            |
| B148DELTA   | 3760             | 3800            |
| B152DELTA   | 3860             | 3900            |
| B154DELTA   | 3910             | 3950            |
| B158DELTA   | 4020             | 4060            |
| B162DELTA   | 4120             | 4160            |
| B167DELTA   | 4240             | 4280            |
| B173DELTA   | 4400             | 4440            |
| B175DELTA   | 4450             | 4490            |
| B180DELTA   | 4570             | 4610            |
| B187DELTA   | 4750             | 4790            |
| B192DELTA   | 4880             | 4920            |
| B195DELTA   | 4960             | 5000            |
| B210DELTA   | 5330             | 5370            |
| B240DELTA   | 6100             | 6140            |
| B248DELTA   | 6300             | 6340            |
| B270DELTA   | 6860             | 6900            |
| B280DELTA   | 7110             | 7150            |

| C           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| C43DELTA    | 1092             | 1150            |
| C47DELTA    | 1192             | 1250            |
| C48DELTA    | 1222             | 1280            |
| C49DELTA    | 1242             | 1300            |
| C51DELTA    | 1292             | 1350            |
| C52DELTA    | 1320             | 1378            |
| C53DELTA    | 1342             | 1400            |
| C55DELTA    | 1392             | 1450            |
| C56DELTA    | 1422             | 1480            |
| C57DELTA    | 1442             | 1500            |
| C58DELTA    | 1472             | 1530            |
| C59DELTA    | 1502             | 1560            |
| C60DELTA    | 1522             | 1580            |
| C61DELTA    | 1542             | 1600            |
| C62DELTA    | 1572             | 1630            |
| C63DELTA    | 1592             | 1650            |
| C65DELTA    | 1642             | 1700            |
| C66DELTA    | 1672             | 1730            |
| C67DELTA    | 1702             | 1760            |
| C68DELTA    | 1727             | 1785            |
| C69DELTA    | 1752             | 1810            |
| C70DELTA    | 1772             | 1830            |
| C71DELTA    | 1802             | 1860            |
| C72DELTA    | 1829             | 1887            |
| C72.5DELTA  | 1842             | 1900            |
| C75DELTA    | 1907             | 1965            |
| C76DELTA    | 1932             | 1990            |
| C77DELTA    | 1952             | 2010            |
| C78DELTA    | 1982             | 2040            |
| C80DELTA    | 2032             | 2090            |
| C81DELTA    | 2052             | 2110            |
| C82DELTA    | 2082             | 2140            |
| C83DELTA    | 2102             | 2160            |
| C84DELTA    | 2132             | 2190            |
| C85DELTA    | 2162             | 2220            |
| C86DELTA    | 2182             | 2240            |
| C88DELTA    | 2232             | 2290            |
| C89DELTA    | 2262             | 2320            |
| C90DELTA    | 2282             | 2340            |
| C93DELTA    | 2362             | 2420            |
| C94DELTA    | 2382             | 2440            |
| C95DELTA    | 2412             | 2470            |
| C96DELTA    | 2432             | 2490            |
| C97DELTA    | 2462             | 2520            |
| C98DELTA    | 2492             | 2550            |
| C99DELTA    | 2512             | 2570            |
| C100DELTA   | 2542             | 2600            |
| C101DELTA   | 2562             | 2620            |
| C102DELTA   | 2592             | 2650            |
| C104DELTA   | 2642             | 2700            |
| C105DELTA   | 2662             | 2720            |
| C106DELTA   | 2692             | 2750            |
| C108DELTA   | 2742             | 2800            |
| C110DELTA   | 2792             | 2850            |
| C112DELTA   | 2842             | 2900            |
| C114DELTA   | 2892             | 2950            |
| C115DELTA   | 2922             | 2980            |
| C116DELTA   | 2942             | 3000            |

| D           |                  |                 |
|-------------|------------------|-----------------|
| Description | Inside length mm | Datum length mm |
| D79DELTA    | 2000             | 2075            |
| D91DELTA    | 2300             | 2375            |
| D93DELTA    | 2360             | 2435            |
| D96DELTA    | 2440             | 2515            |
| D98DELTA    | 2500             | 2575            |
| D104DELTA   | 2650             | 2725            |
| D110DELTA   | 2800             | 2875            |
| D118DELTA   | 3000             | 3075            |
| D120DELTA   | 3050             | 3125            |
| D124DELTA   | 3150             | 3225            |
| D128DELTA   | 3250             | 3325            |
| D132DELTA   | 3350             | 3425            |
| D136DELTA   | 3450             | 3525            |
| D140DELTA   | 3550             | 3625            |
| D144DELTA   | 3660             | 3735            |
| D148DELTA   | 3750             | 3825            |
| D154DELTA   | 3925             | 4000            |
| D158DELTA   | 4000             | 4075            |
| D162DELTA   | 4115             | 4190            |
| D167DELTA   | 4250             | 4325            |
| D173DELTA   | 4395             | 4470            |
| D177DELTA   | 4500             | 4575            |
| D180DELTA   | 4570             | 4645            |
| D181DELTA   | 4595             | 4670            |
| D187DELTA   | 4750             | 4825            |
| D195DELTA   | 4953             | 5028            |
| D197DELTA   | 5000             | 5075            |
| D208DELTA   | 5300             | 5375            |
| D210DELTA   | 5335             | 5410            |
| D220DELTA   | 5600             | 5675            |
| D225DELTA   | 5715             | 5790            |
| D233DELTA   | 5925             | 6000            |
| D236DELTA   | 6000             | 6075            |
| D240DELTA   | 6100             | 6175            |
| D248DELTA   | 6300             | 6375            |
| D250DELTA   | 6350             | 6425            |
| D255DELTA   | 6480             | 6555            |
| D264DELTA   | 6700             | 6775            |
| D270DELTA   | 6860             | 6935            |
| D280DELTA   | 7110             | 7185            |
| D285DELTA   | 7240             | 7315            |
| D295DELTA   | 7500             | 7575            |
| D300DELTA   | 7620             | 7695            |
| D315DELTA   | 8000             | 8075            |
| D330DELTA   | 8382             | 8457            |
| D335DELTA   | 8500             | 8575            |
| D345DELTA   | 8765             | 8840            |
| D354DELTA   | 9000             | 9075            |
| D360DELTA   | 9145             | 9220            |
| D374DELTA   | 9500             | 9575            |
| D390DELTA   | 9900             | 9975            |
| D394DELTA   | 10000            | 10075           |
| D418DELTA   | 10615            | 10690           |
| D441DELTA   | 11200            | 11275           |
| D478DELTA   | 12140            | 12215           |
| D492DELTA   | 12500            | 12575           |
| D540DELTA   | 13715            | 13790           |
| D600DELTA   | 15240            | 15315           |

**Delta Classic™ ordering code is composed as follows:**  
**C62DELTA**

C - Section  
62 - Inside length (inch)  
DELTA - Product short name  
All belts are available from stock.

