

Subject: Compliance with Regulation (EC) No. 1907/2006 (REACH)

Eurotubi Europa Srl, in accordance with **Regulation (EC) 1907/2006 (REACH)** of the European Parliament and of the Council of 18 December 2006, declares that the articles supplied to you **do not contain** substances listed in the Candidate List (<https://echa.europa.eu/en/candidate-list-table>) **in concentrations above 0.1% weight by weight** as of the date of this document.

In the case of complex articles, this threshold applies to and is respected for each sub-article (in compliance with the judgment of the European Court of Justice of 10 September 2015 – case C106/14).

With the exception of the above, Eurotubi Europa Srl declares that the following articles **contain** the following SVHCs listed in the Candidate List as of the date of this document, **in concentrations above 0.1% weight by weight**:

Family	Article	Substance name (Candidate List)	CAS/EC	Concentration (%)	Substance location	ECHA SCIP number
C30	C30PC-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C30	C30PD-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C30	C30PE-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C30	C30PF-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C30	C30QE-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31NB-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31NC-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31PC-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31PD-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31QD-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C31	C31QE-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PD-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PE-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PF-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PG-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PH-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42PJ-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QE-LBP	lead	7439-92-1	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20

C42	C42QF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QL	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42QM	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42RG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42RH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42RJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42VK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C42	C42VL	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C43	C43PK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C47	C47OGS2M	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C47	C47OGS1M	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C60	C60QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C60	C60QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C60	C60RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C60	C60SF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C60	C60TG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C60	C60UH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89

C60	C60WJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C62	C62PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C62	C62VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C64	C64VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut Brass nipple	a9759e27-3ecf-46ad-bab6-3cbd641b39f3
C66	C66QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66SF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66TG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66UH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89
C66	C66WJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Brass nut	df40a9a4-97a8-4a53-b794-12fa5d95bc89

C80	C80NB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80NC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80PB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80PF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80QF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80QG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80RG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80TJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C80	C80VK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81NB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81NC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81PB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81QC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81QD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20

C81	C81QF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81RE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81RG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81SF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81SH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81TG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81TJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81VK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81XK	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81YL	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C81	C81ZM	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82NB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82NC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82PF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82QF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C82	C82VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83NB-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83NC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20

C83	C83PC-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83PD-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83PE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83QE-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83QF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83RF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C83	C83VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86NB	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86NC	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86PB	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86PC	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86PD	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86PE	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86QD	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C86	C86QE	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87NB	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87PB	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87PC	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87PD	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87PE	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87QD	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C87	C87QE	lead	7439-92-1 ·	> 0,1% w/w	Thread end	6c4c640a-2932-437e-9b91-e63e2879da20
C96	C96EF-LBP	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C96	C96KK	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C96	C96LL	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C96	C96SG-LBP	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C96	C96TH-LBP	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da

C96	C96VJ-LBP	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da
C96	C96ZM	lead	7439-92-1 ·	> 0,1% w/w	Grooved end	d998ddce-c2b8-4aeb-9d0f-eb60eda369da

Pursuant to Article 33 of Regulation (EC) 1907/2006 (REACH), the following safe use information is provided in reference to the articles listed above:

Substance location	Safe use information
Brass nut Brass nipple Thread end Grooved end	<p>Exposure to substances in the Candidate List contained in the articles is unlikely under normal use conditions of the product, excluding processes involving thermal energy (e.g. melting, welding) and/or mechanical energy (e.g. abrasion, cutting). However, during maintenance, repair, or disposal operations, avoid direct contact with components contaminated by substances in the Candidate List. If contact is essential to perform the task, wear disposable gloves, type C gloves in accordance with EN 374, or gloves providing mechanical protection in accordance with EN 388.</p> <p>Handling by pregnant women is not recommended. After use, follow standard hygiene practices (e.g. wash hands thoroughly with soap and water, avoid eating while wearing gloves, etc.).</p> <p>For disposal, contact a waste management company authorized according to national laws and local regulations.</p>

Sincerely,

Date
15/05/2025

(Title, role, name of communication officer)

HSE Manager – Stefano Verderio

EUROTUBI EUROPA S.R.L.
 Uff. e Stab.: 20834 Nova Milanese (MB) - Via Croce Rossa Italiana, 12
 Tel. +39 0362 365071 - Fax +39 0362 365117
 C.F. 01190860766 - P.IVA 11330120152
 Sede Legale: 20121 MILANO - Piazza della Repubblica, 5